



# Work Safety

**hertz**<sup>®</sup>  
KOMPRESSOREN

Our **Work** and **Privillage** are **safety!**



# Research and Development

**hertz**<sup>®</sup>  
KOMPRESSOREN

Hertz places **strong** emphasis on developing **innovative** technology that adds **value** for our **customers.**



# Powerful Production Stages

**hertz**<sup>®</sup>  
KOMPRESSOREN

Empowering **People.**  
Empowering **Performance.**

## Vijčani Kompresori

Model	Bar	L/min.	kW/Hp	Liter	L (mm)	W (mm)	H (mm)	Air Connection	dBA	Kg
HGS 2	7.5 10 13	250 - -	2.2/3.0	200/300***	550	**850/1530	**830/1305	1/2"	63	240
HGS 3	7.5 10 13	410 320 -	3.0/4.0	200/300***	550	**850/1530	**830/1305	1/2"	65	245
HGS 4	7.5 10 13	560 460 350	4.0/5.5	200/300***	550	**850/1530	**830/1305	1/2"	69	247
HGS 5.5	7.5 10 13	770 650 530	5.5/7.5	200/300***	550	**1000/1530	**830/1305	1/2"	69	272
HGS 7.5	7.5 10 13	1150 950 720	7.5/10.0	500***	642	**1000/1905	**830/1490	3/4"	69	381
HGS 11	7.5 10 13	1700 1400 1100	11/15	500***	650	**1218/1925	**910/1560	3/4"	69	414
HGS 15	7.5 10 13	2250 1960 1510	15/20	500***	650	**1218/1925	**910/1560	3/4"	69	450



BAUCOMMERCE d.o.o. OVLAŠTENI ZASTUPNIK ZA BOSNU I HERCEGOVINU

 Tel : 033 / 618 625  
 Fax : 033 / 524 623

[www.baucommerce.ba](http://www.baucommerce.ba)  
[www.elektroagregati.ba](http://www.elektroagregati.ba)

 E-mail : info@baucommerce.ba  
 E-mail : prodaja@baucommerce.ba



## Stacionarni Vijčani Kompresori

Model	Bar	m <sup>3</sup> /min. (CFM)	kW/Hp	L (mm)	W (mm)	H (mm)	Connection	dBA	Kg
HSC 15	7.5	2.65	15/20	1250	850	1465	1"	69	410
	10	2.3							
	13	1.85							
HSC 18.5	7.5	3.3	18.5/25	1250	850	1465	1"	69	420
	10	2.8							
	13	2.4							
HSC 22	7.5	3.75	22/30	1250	850	1465	1"	70	450
	10	3.5							
	13	3.0							
HSC 30	7.5	4.6	30/40	1550	1030	1750	1 1/4"	70	683
	10	4.0							
	13	3.6							
HSC 30 B	7.5	5.2	30/40	1550	1030	1750	1 1/4"	70	710
	10	4.3							
	13	3.7							
HSC 37	7.5	6.4	37/50	1550	1030	1750	1 1/4"	70	742
	10	5.4							
	13	4.3							



## Stacionarni Vijčani Kompresori

Model	Bar	m <sup>3</sup> /min. (CFM)	kW/Hp	L (mm)	W (mm)	H (mm)	Connection	dBA	Kg
HSC 45	7.5 10 13	7.2 6.4 5.4	45/60	1550	1030	1750	1 1/4"	75	876
HSC 45 B	7.5 10 13	8.0 6.9 5.6	45/60	2000	1200	1810	1 1/2"	74	1170
HSC 55	7.5 10 13	9.6 8.5 6.6	55/75	2000	1200	1810	1 1/2"	76	1340
HSC 75	7.5 10 13	12.4 10.5 8.7	75/100	2000	1200	1810	1 1/2"	78	1610
HSC 75 B	7.5 10 13	13.0 10.9 9.0	75/100	2500	1400	2037	2"	78	1940
HSC 90	7.5 10 13	15.8 13.5 11.0	90/125	2500	1400	2037	2"	79	2240
HSC 110	7.5 10 13	18.8 16.5 14.0	110/150	2500	1400	2037	2"	79	2500
HSC 132	7.5 10 13	22.8 19.5 16.0	132/180	2500	1750	2000	2 1/2"	79	2873
HSC 160	7.5 10 13	27.4 23.0 19.5	160/220	2500	1750	2000	2 1/2"	79	3030
HSC 200	7.5 10 13	36.1 30.0 24.0	200/270	3000	2250	2400	NW 100	79	4950
HSC 250	7.5 10 13	44.0 37.5 31.3	250/340	3250	2250	2400	NW 100	79	5540
HSC 315	7.5 10 13	52.5 45.5 39.0	315/430	3250	2250	2400	NW 100	79	6025



BAUCOMMERCE d.o.o. OVLAŠTENI ZASTUPNIK ZA BOSNU I HERCEGOVINU

 Tel : 033 / 618 625  
 Fax : 033 / 524 623

[www.baucommerce.ba](http://www.baucommerce.ba)  
[www.elektroagregati.ba](http://www.elektroagregati.ba)

 E-mail : info@baucommerce.ba  
 E-mail : prodaja@baucommerce.ba

## Stacionarni Vijčani Kompresori

Model	Bar	Min.FAD	Max.FAD	(kW/Hp)	L (mm)	W (mm)	H (mm)	Air Connection	Kg
		(m <sup>3</sup> /min.) (CFM)	(m <sup>3</sup> /min)						
HSC FRECON 18	7.5	0.7	3.5	18.5/25	1250	850	1465	1"	454
	10	1.0	3.0						
	13	1.0	2.5						
HSC FRECON 25	7.5	1.0	4.0	25/35	1250	850	1465	1"	506
	10	1.0	3.7						
	13	1.0	3.4						
HSC FRECON 30	7.5	1.3	5.2	30/40	1550	1030	1750	1 1/4"	730
	10	1.2	4.4						
	13	1.2	3.9						
HSC FRECON 37	7.5	1.2	6.5	37/50	1550	1030	1750	1 1/4"	768
	10	1.22	5.8						
	13	1.22	4.8						
HSC FRECON 45	7.5	1.23	7.3	45/60	1550	1030	1750	1 1/4"	930
	10	1.24	6.6						
	13	1.48	5.6						
HSC FRECON 50	7.5	1.5	8.3	50/68	2000	1200	1800	1 1/2"	1270
	10	1.5	7.3						
	13	1.5	6.1						
HSC FRECON 60	7.5	1.9	10.4	60/82	2000	1200	1800	1 1/2"	1227
	10	2.0	8.7						
	13	2.0	6.9						
HSC FRECON 75	7.5	1.9	12.5	75/100	2000	1200	1800	1 1/2"	1425
	10	2.1	10.5						
	13	2.2	8.7						
HSC FRECON 75 B	7.5	3.0	13.5	75/100	2500	1400	2040	2"	1950
	10	3.0	11.0						
	13	3.0	9.2						
HSC FRECON 90	7.5	3.0	16.0	90/125	2500	1400	2040	2"	2100
	10	3.0	13.5						
	13	3.0	11.1						
HSC FRECON 125	7.5	3.3	20.5	125/170	2500	1400	2040	2"	2200
	10	3.3	16.4						
	13	3.3	15.0						
HSC FRECON 150	7.5	3.5	25.3	150/200	2750	1750	2000	2 1/2"	2970
	10	3.5	20.1						
	13	3.5	18.3						
HSC FRECON 180	7.5	5.0	30.0	180/245	2750	1750	2000	2 1/2"	3080
	10	5.5	25.0						
	13	5.5	21.6						
HSC FRECON 220	7.5	5.5	39.0	220/295	3250	2250	2400	NW 100	4760
	10	5.5	32.5						
	13	5.5	28.5						
HSC FRECON 275	7.5	5.5	49.0	275/370	3250	2250	2400	NW 125	4920
	10	5.5	41.5						
	13	5.5	36.0						



BAUCOMMERCE d.o.o. OVLAŠTENI ZASTUPNIK ZA BOSNU I HERCEGOVINU

 Tel : 033 / 618 625  
 Fax : 033 / 524 623

[www.baucommerce.ba](http://www.baucommerce.ba)  
[www.elektroagregati.ba](http://www.elektroagregati.ba)

 E-mail : info@baucommerce.ba  
 E-mail : prodaja@baucommerce.ba

## Stacionarni Vijčani Kompresori

Model	Bar	m <sup>3</sup> /min. (CFM)	kW/Hp	L (mm)	W (mm)	H (mm)	Connection	Kg
HSC 22 D	7.5	4.0	22/30	1250	850	1465	1"	450
	10	3.6						
	13	3.1						
HSC 30 D	7.5	5.5	30/40	1550	1030	1750	1 1/4"	742
	10	4.5						
	13	3.9						
HSC 37 D	7.5	6.6	37/50	1550	1030	1750	1 1/4"	742
	10	5.6						
	13	4.6						
HSC 45 B D	7.5	8.5	45/60	2000	1200	1810	1 1/2"	1370
	10	7.1						
	13	5.9						
HSC 55 D	7.5	9.8	55/75	2000	1200	1810	1 1/2"	1520
	10	8.7						
	13	7.0						
HSC 75 D	7.5	12.6	75/100	2000	1200	1810	1 1/2"	1670
	10	10.5						
	13	9.2						
HSC 75 B D	7.5	14.1	75/100	2500	1400	2037	2"	2200
	10	11.5						
	13	9.6						
HSC 90 D	7.5	16.2	90/125	2500	1400	2037	2"	2240
	10	13.7						
	13	11.2						
HSC 110 D	7.5	19.5	110/150	2500	1400	2037	2"	2640
	10	17.9						
	13	14.0						
HSC 132 D	7.5	23.4	132/180	2750	1750	2000	2 1/2"	2970
	10	20.0						
	13	16.5						
HSC 160 D	7.5	28.0	160/220	2750	1750	2000	2 1/2"	3080
	10	23.5						
	13	20.0						
HSC 200 D	7.5	37.0	200/270	3250	2250	2400	NW 100	4920
	10	30.8						
	13	24.5						
HSC 250 D	7.5	45.0	250/340	3250	2250	2400	NW 100	5600
	10	38.6						
	13	32.6						
HSC 315 D	7.5	53.0	315/430	3250	2250	2400	NW 100	5920
	10	45.5						
	13	39.5						



BAUCOMMERCE d.o.o. OVLAŠTENI ZASTUPNIK ZA BOSNU I HERCEGOVINU

Tel : 033 / 618 625

Fax : 033 / 524 623

[www.baucommerce.ba](http://www.baucommerce.ba)
[www.elektroagregati.ba](http://www.elektroagregati.ba)

E-mail : info@baucommerce.ba

E-mail : prodaja@baucommerce.ba

### Stacionarni Vijčani Kompresori

Model	Bar	Min.FAD		Max.FAD		L (mm)	W (mm)	H (mm)	Connection	Kg
		(m <sup>3</sup> /min.)	(CFM)	(m <sup>3</sup> /min.)	kW/Hp					
HSC FRECON 50 D	7.5	1.5	9.0	50/68	2000	1200	1900	1 1/2"	1200	
	10	1.5	7.5							
	13	1.5	6.3							
HSC FRECON 60 D	7.5	1.9	10.6	60/82	2000	1200	1900	1 1/2"	1385	
	10	2.0	8.9							
	13	2.0	7.4							
HSC FRECON 75 D	7.5	1.9	12.8	75/100	2000	1200	1810	1 1/2"	1450	
	10	2.1	10.8							
	-	-	-							
HSC FRECON 75 B D	7.5	3.0	14.3	75/100	2500	1400	1810	2"	1900	
	10	3.0	10.5							
	-	-	-							
HSC FRECON 90 D	7.5	3.0	16.5	90/125	2500	1400	1810	2"	2020	
	10	3.3	14.0							
	13	3.0	12.0							
HSC FRECON 125 D	7.5	3.3	21.5	125/170	2500	1400	2037	2"	2380	
	10	3.3	18.0							
	13	3.3	15.2							
HSC FRECON 150 D	7.5	3.5	26.0	150/200	2750	1750	2037	2 1/2"	2875	
	10	3.5	21.3							
	13	3.5	18.6							
HSC FRECON 180 D	7.5	5.0	30.2	180/245	2750	1750	2037	2 1/2"	3080	
	10	5.5	25.3							
	13	5.5	22.0							
HSC FRECON 220 D	7.5	5.5	40.4	220/300	3250	2250	2000	NW 100	4920	
	10	5.5	33.2							
	-	-	-							
HSC FRECON 275 D	7.5	6.0	49.0	275/370	3250	2250	2000	NW 125	5920	
	10	6.0	41.0							
	13	6.0	36.0							
HSC FRECON 315 D	7.5	6.0	53.0	275/370	3250	2250	2400	NW 125	4920	
	10	6.0	46.0							
	13	6.0	39.0							



BAUCOMMERCE d.o.o. OVLAŠTENI ZASTUPNIK ZA BOSNU I HERCEGOVINU

Tel : 033 / 618 625

Fax : 033 / 524 623

[www.baucommerce.ba](http://www.baucommerce.ba)

[www.elektroagregati.ba](http://www.elektroagregati.ba)

E-mail : [info@baucommerce.ba](mailto:info@baucommerce.ba)

E-mail : [prodaja@baucommerce.ba](mailto:prodaja@baucommerce.ba)

**Mobilni Vijčani Kompresori**

Model	Pressure bar/PSI	FAD m <sup>3</sup> /min (CFM)	dBA Power*/ Pressure**	Compressor Oil Capacity l/gal us	Fuel Tank Capacity l/gal us	Compressor Air Outlet
HPA 340	7.0/102	3.4-120	≤ 98* / 68**	12/3.7	50/13.4	2xG <sup>3</sup> / <sub>4</sub>
HPA 500	7.0/102	5.0-176	≤ 98* / 68**	12/3.7	85/23	1xG1" + 2xG <sup>3</sup> / <sub>4</sub>
	10.0/145 12.0/174	4.1-145 3.4-120				
HPA 640	7.0/102	6.4-220	≤ 98* / 68**	20/5.8	125/33	1xG1" + 2xG <sup>3</sup> / <sub>4</sub>
HPA 1000	7.0/102	10.0-353	≤ 99* / 69**	25/6.6	125/33	1xG1 <sup>1</sup> / <sub>2</sub> + 3xG <sup>3</sup> / <sub>4</sub>
	10.0/145 12.0/174	8.5-300 7.5-265				

Model		Lenght	Width	Height	Weight (kg / lbs)	
		(mm / inch)	(mm / inch)	(mm / inch)	Dry	Ready to operate
HPA 340	Base Mounted	1800/71	1150/45	1150/45	400/881	450/992
	With Straight Tow-bar	2800/110	1400/55	1400/55	450/992	500/1100
	Braked, Adjustable Tow-bar	2800/110	1400/55	1400/55	-	-
HPA 500	Base Mounted	1800/71	1150/45	1150/45	500/1100	550/1212
	With Straight Tow-bar	2800/110	1400/55	1400/55	600/1322	650/1433
	Braked, Adjustable Tow-bar	2800/110	1400/55	1400/55	-	-
HPA 640	Base Mounted	2150/85	1190/47	1150/45	850/1874	950/2095
	With Straight Tow-bar	3200/126	1650/65	1600/63	950/2095	1050/2315
	Braked, Adjustable Tow-bar	3200/126	1650/65	1500/59	1000/2205	1100/2425
HPA 1000	Base Mounted	2150/85	1190/47	1250/50	1050/2315	1150/2535
	With Straight Tow-bar	3200/126	1650/65	1700/67	1150/2315	1250/2760
	Braked, Adjustable Tow-bar	3200/126	1650/65	1600/63	1200/2640	1300/2870

Model	Brand Model	Number of Cylinder	Emission Level	Speed Full Load / Idling (rpm)	Power kW / Hp	Engine Oil Capacity l / gal us
HPA 340	KUBOTA V1505-E3B	4	TIER 4 / EU 3A	3000/1300	26.2/35	6/1.6
HPA 500	KUBOTA V1505-T-E3B	4	TIER 4 / EU 3A	3000/1300	33/44	6.7/1.8
HPA 640	KUBOTA V2403-MT	4	TIER 4 / EU 3A	2700/1300	44/59	9.5/2.5
HPA 1000	KUBOTA V3800-MT	4	TIER 3 / EU 3A	2600/1300	75/100	13.2/3.5



BAUCOMMERCE d.o.o. OVLAŠTENI ZASTUPNIK ZA BOSNU I HERCEGOVINU

 Tel : 033 / 618 625  
 Fax : 033 / 524 623

[www.baucommerce.ba](http://www.baucommerce.ba)  
[www.elektroagregati.ba](http://www.elektroagregati.ba)

 E-mail : info@baucommerce.ba  
 E-mail : prodaja@baucommerce.ba





**BUILDING**  
*The* **FUTURE**

BAUCOMMERCE d.o.o.  
Nedima Filipovića bb  
71000 Sarajevo  
Bosna i Hercegovina

[www.baucommerce.ba](http://www.baucommerce.ba)